

Certificate Detail

Film Name : VELVET NAGARAM Links for more information

Language : TAMIL WITH ENGLISH SUBTITLES

Duration : 101.32 MM.SS Synopsis of the movie

Applicant Name : Arun Karthik Nagappan - (MAKERS STUDIO

LLP), CHENNAI

Producers : ARUN KARTHIK NAGAPPAN - (MAKERS

STUDIO LLP), CHENNAI

Name of Signatory : M Leela Meenatchi, RO, CBFC, Chennai

Name of EO / PO : M Leela Meenatchi (E.O.)

Endorsement

File No.: 1A030312201900013

Film Name: VELVET NAGARAM (TAMIL WITH ENGLISH SUBTITLES) (Color) (2-D)

Applied Running Time: 101.37 MM.SS

Cert No. DIL/2/13/2020-Che Dated 29/01/2020

Insertions / Excisions/ Modifications carried out by the applicant to comply with the law in force

Duration (MM.SS)

Cast and Credit Details

Cut No.	Description	Deleted	Replaced	Inserted
1	General disclaimer for smoking and use of drugs to be kept as per norms Inserted:	00.00	00.00	00.00
2	Trimmed the visual of hitting Gowri in Shot No.58. (Only one shot is allowed) (Reel 1) (05:12) (violence)	00.02	00.00	00.00
3	Trimmed the visual of hitting Gowri in Shot Nos.30 to 32. (Out of three shots, one shot is allowed without showing blood splash). (Reel 2) (01:40) (violence)	00.03	00.00	00.00
4	Muted the words "Oththa" in Shot No.208 which comes five times and also "Potta" in Shot No.220 along with the change of the word "Bastard" in subtitle.(changed) (Reel 2) (13:01,14:11) (public decency/ double meaning)	00.00	00.00	00.00
5	Muted the words "Oththa" in Shot No.52 and 78, "Potta" in Shot No.52. (Reel 3) (02:48,02:51,05:35,13:22)(public decency/ double meaning)	00.00	00.00	00.00
6	Muted the words "Oththa" in Shot Nos.77,154 and "Potta" in Shot No.160. (Reel 4) (05:35, 13:22,14:43)(public decency/double meaning)	00.00	00.00	00.00
7	Muted the words "Potta" in Shot No.64 and "Oththa" in Shot Nos.62,69,306. (Reel 5) (03:18, 03:26,18:41)(double meaning/public decency)	00.00	00.00	00.00
	Total :	00.05	00.00	00.00

Total Deletions at the Time of Examination: 00.05 MM.SS

Actual Duration of the film after the aforesaid deletions and replacements will be 101.32 MM.SS in 1 cassette(s).

